LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

	• • •
ATTY. DOCKET NO.	SERIAL NO.
238/105	09/186,341
APPLICANT: Alan L. Mueller et al.	
FILING DATE:	GROUP:
November 4, 1998	1611

			U.S. PAT	ENT DOCUMENTS			
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SU8 CLASS	FILING
pul	AA	08,763,480	12/11/96	Mueller et al. (patent allowed per NOA 6/3/99)	. 514	649	12/11/96
							
					·		
			·				
							1

EXAMINER INITIAL	DOCUMENT NUMBER DATE COUNTRY				SUB CLASS	TRANSLATION	
	NOMBER	DATE	COUNTRY	CLASS	CLASS	YES	NO
		 					<u> </u>
		ļ				•	
·	 		·				
							\Box
			· .				一
				1			\vdash
				+ -			
				┼─┤			_
			· · · · · · · · · · · · · · · · · · ·	+			
	 						<u> </u>
		·					
							L
				1.			
					.		
					-		
			·				
				 			
		•		├			
				 			

SD-123912.1 EXAMINER: Although	100	DATE CONSIDERED: 3/28/05
EXAMINER: Initial if reference is consideration if not in conformance and not conformance.	ered, whether or not citation is in one of this formation is in the company of this formation.	conformance with MPEP 609; Oraw line through orm with next communication to applicant.

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control

	Substitute for form 1449B/PTO			Complete if Known		
ı	INFORMATION			Application Number	09/825,373	
	STATEMENT BY	Y APPLI	ICANT	Filing Date	04/02/2001	
i	•			First Named Inventor	ALAN L. MUELLER	
	•			Group Art Unit	1624	
	(use as many sheet	ts as пе	cessary)	Examiner Name	R. Raymond	
Sheet	1	of	1	Attorney Docket Number	072827-0336	

		•		U.S. PATENT DOCUMENTS		
in-a	C'h-	U.S. Patent Document			Date of Publication of	Pages, Columns, Lines,
Examiner Initials*	Cite No. ¹	i l Kind l	Name of Patentee or Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear	
						
						· · · · · · · · · · · · · · · · · · ·

		γ		F	OREIGN PATENT DOCUMEN	TS · '		-
Examiner Initials*	Cite No.1	F Office	oreign Patent (³ Number ⁴	Document Kind Code ⁵ (if known)	Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
DV.	A1	WO	95/21612		NPS Pharmaceuticals, Inc.	08-17-1995	, garder , ppec.	÷
MM	A2	AU	723349		NPS Pharmaceuticals, Inc.	01-05-1998		
· ·								_
								Г
			•				· · · · · · · · · · · · · · · · · · ·	+

		NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, senal, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.					

	1 / 1 / /			
Examiner Signature	Ithm fr	70-	Date Considered	3/28/05
'EXAMINER	· Initial if reference considered			101.5010

ed, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 See attached Kinds of U.S. Patent Documents. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Skind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, PO Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, PO Box 1450, Alexandria, Virginia

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

· (Use several sheets if necessary)

ATTY. DOCKET NO. 238/105

SERIAL NO. 09/186,341

APPLICANT:

Alan L. Mueller et al.

FILING DATE: November 4, 1998 GROUP: 1621

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SU8 CLASS	FIUNG
AW	AA	3,258,488	6/28/66	Judd et al.	260	570.8	8/12/63
	AB	3,372,193	3/5/68	Moffet et al.	564	375	
·	AC	4,018,895	4/19/77	Molloy et al.	514	649	
	AD	4,070,373	1/1978	Winter et al.	549	354	
	AE	4,313,896	2/2/82	Molloy et al.	562	597	
	AF	5,037,846	8/6/91	Saccomano et al.	514	419	
	AG	5,145,870	9/8/92	Jakobsen et al.	514	524	
·	АН	5,185,369	2/9/93	Saccomano et al.	514	502	j.
	Al	5,310,756	5/10/94	Jakobsen et al.	514	524	-
DAY.	AJ	5,574,173	11/1996	Ting et al.	549	353	

EXAMINER	1	DOCUMENT		1		SUB	TRANSL	ATION
INITIAL		NUMBER	DATE	COUNTRY	CLASS	CLASS	YES	NO
m	AK	1 051 281	25.02.59	DE				
ĺ	AL	33 285	. 05.12.64	DE (Klosa et al.)	(7		
	AM	1 169 944	11.07.67	GB (Jones)		7		
	AN	1 129 029	02.10.68	GB (Boehringer)	1	7		
	AO	1 129 210	02.10.68	GB (Boehringer)		1	-	
	AP	1,134,715	27.11.68	GB (Maisey)				
	AQ	1,135,926	11.12.68	GB (Maisey)				
	AR	1 793 735	25.07.73	DE (Winter et al.)	<u> </u>			
	AS	17 93 735	26.07.73	DE (Boehringer Mannheim)				
	AT	300,541	25.06.74	Netherlands				
	AU	23 35 943	30.01.75	DE (Boehringer Mannheim)				
	AV	2 277 589	06.02.76	FR (Boehringer)		1		
	AW	0 005 658	25.04.79	EP (Leconte et al.)		1.		
	AX	0 208 523 .	14.01.87	EP (Usherwood et al.)			Ī	
	AY	0 399 50	23.05.90	EP (Jakobsen et al.)				
	AZ	0 436 332	10.07.91	EP (Saccomano et al.)		/		
AW	BA	92/14709	03.09.92	WO/PCT (Goldin et al.)	11	1		

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary):

A: . f. DOCKET NO.	SERIAL NO.
238/105	09/186,341
APPLICANT: Alan L. Mueller et al.	

FILING DATE: November 4, 1998

GROUP: 1621

EXAMINER		DOCUMENT				SUB	TRANSI	LATION
INITIAN		NUMBER DATE	DATE	COUNTRY	CLASS	CLASS	YES	NO
M	ВВ	93/04036	04.03.93	WO/PCT (Saccomano et al.)	16	/		
	8C	93/04041	04.03.93	WO/PCT (Saccomano et al.)	1	1/		Ħ
	BD.	93/04373	04.03.93	WO/PCT (Nemeth et al.)		1/		i
	BE	4 239 816	01.06.94	DE (Keller et al.)	1	/		
	BF	95/15959	15.06.95	WO/PCT (Schering Corp.)	\ \\ \\ \\			
	BG	95/21612	17.08.95	WO/PCT (NPS)	1./			
	вн	96/05818	29.02.96	WO/PCT (Fuller et al.)	1		<u> </u>	
^	ВІ	96/40097	19.12.96	WO/PCT (Mueller et al.)	1/		;	
M	BJ	97/46511	11.12.97	WO/PCT (Vanwagenen)	1/-			H

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
MAN	ВК	Akaike et al., "Spider Toxin Blocks Excitatory Amino Acid Responses in Isolated
1000		Hippocampal Pyramidal Neurons," Neuroscience Letters 79:326-330 (1987)
7		Anis et al., "Structure-Activity Relationships of Philanthotoxin Analogs and Polyamines on
	BL	N-Methyl-D-Aspartate and Nicotinic Acetylcholine Receptors." Journal of Pharmacology
		and Experimental Therapeutics 254:764-773 (1990)
		Artman et al., "Preferential Inhibitory Effects of Arylamine Spider Toxins on NMDA
	BM	Receptor-Mediated Increases in Cytosolic Calcium," Society for Neuroscience Abstracts
		17(Part 1):394 at abstract no. 163.19 (1991)
	BN	Ashe et al., "Argiotoxin-636 Blocks Excitatory Synaptic Transmission in Rat Hippocampal
	D14	CA1 Pyramidal Neurons," Brain Research 480:234-240 (1989)
		Banciu et al., "Carbonium ion reactions. XII. Acetolysis of 5-(2-bromoethyl)-5H-dibenzol
	ВО	[a,d] cycloheptene and nitrous acid deamination of 5-(2-aminoethyl)-5H-dibenzo [a,d]
		cycloheptene,* Revue Roumaine de Chimie 20(1):121-127 (1975)
	BP	Banciu et al., Chemical Abstracts, Vol. 83 Abstract 146868 (1975)
	BQ	Beckett and Casy, "Configurational Studies in Synthetic Analgesics," Journal of the
	: 54	Chemical Society pp.900-904 (February 1955)
	!	Blagbrough and Usherwood, "Polyamine amide toxins as pharmacological tools and
	BR	pharmaceutical agents," Proceedings of the Royal Society of Edinburgh 99B(1-2):67-81
		(1992)
	BS	Blagbrough et al., "Arthropod Toxins as Leads for Novel Insecticides: An Assessment of
		Polyamine Amides as Glutamate Antagonists," <u>Toxicon</u> 30:303-322 (1992)
	вт	Blake et al., "2-Methyl-3,3-Diphenyl-3-Propanolamine (2-MDP) Selectively Antagonises
		N-Methyl-Aspartate (NMA)," Pharmacology Biochemistry & Behavior 24:23-25 (1986)
		Blaschke et al., "A Single Amino Acid Determines the Subunit-Specific Spider Toxin
	BU	Block of _A mino-3-Hydroxy-5-Methylisoxazole-4-Propionate/Kainate Receptor
	1	Channels, Proc. Natl. Acad. Sci. USA 90:6528-6532 (1993)
,	BV	Boehringer et al., Chemical Abstracts, Vol. 70 Abstract 37664 (1969)
MV.	BW	Boehringer Mannheim, Chemical Abstracts, Vol. 86 Abstract 16562 (1977)

EXAMINER	Altro	Name	DATE CONSIDERED: 3/	28/05
		1 - 1		

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

A I IY. DOCKET NO.	SEF
	09/

SERIAL NO. 09/186,341

APPLICANT:

Alan L. Mueller et al.

FILING DATE: November 4, 1998

GROUP: 1621

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
m	Y	вх	Brackley et al., "Selective Antagonism of Native and Cloned Kainate and NMDA Receptors by Polyamine-Containing Toxins," <u>Journal of Pharmacology and Experimental Therapeutics</u> 266:1573-1580 (1993)
			Bruce et al., "Structure-Activity Relationships of Analogues of The WASP Toxin
		BY	Philanthotoxin: Non-Competitive Antagonists of Quisqualate Receptors," <u>Toxicon</u> 28(11):1333-1346 (1990)
-		·	Burtsev and Savkov, "Calcium Antagonists (Finoptin and Senzit) in the Treatment of
		BZ	Cerebrovascular Disorders," <u>Klinicheskaia Meditsina</u> 67(9):51-54 (1989) (abstract from MEDLINE)
		~	Buschauer et al., "Synthesis and histamine H ₂ agonistic activity of arpromidine
1 1		CA	analaogues: replacement of the pheniramine-like moiety by non-heterocyclic groups."
\vdash	\dashv		Eur. J. Med. Chem. 27:321-330 (1992) Camps et al., "A New and Efficient One-Pot Preparation of Alkyl Halides From Alcohols,"
1 1		CB	Synthesis Communications pp. 511-512 (May 1987)
		CC	Chemical Abstracts 5:423 (1959)
		CD	<u>Chemical Abstracts</u> 54:24555-24556 (1960)
		CE	Chemical Abstracts 54:424a (1960)
		CF	Chemical Abstracts 66:4375 (1967)
	\sqcup	CG	Chemical Abstracts 67:3059 (1967)
	\vdash	СН	Chemical Abstracts 69:3322 (1968)
		CI	Chemical Abstracts Service, Registry Handbook, Reg. No. 114272-62-7 through 116231-28-8, 1988 Supplement
		٥.	Cheng and Prusoff, "Relationship Between the Inhibition Constant (K _i) and the
	П	CJ	Concentration of Inhibitor Which Causes 50 Per Cent Inhibition (150) of an Enzymatic
	\vdash		Reaction," <u>Biochemical Pharmacology</u> 22:3099-3108 (1973) Choi et al., "Glutamate Neurotoxicity in Cortical Cell Culture," <u>J. Neuroscience</u> 7:357-368
		СК	(1987)
		CL	Choi et al., "Synthesis and Assay of Hybrid Analogs of Argiotoxin-636 and Philanthotoxin-433: Glutamate Receptor Antagonists," <u>Tetrahedron</u> 49:5777-5790 (1993)
	·	СМ	Choi, "Glutamate Neurotoxicity and Diseases of the Nervous System," Neuron 1:623-634 (1988)
		CN	Collingridge and Davis, "Ch. 9 - NMDA receptors and long-term potentiation in the
		CN	hippocampus," in <u>The NMDA Receptor</u> , edited by Watkins and Collingridge, IRL Press, p. 123-135 (1989)
		СО	Cramer et al., "Kainic Acid and 4-Aminopyridine Seizure Models in Mice: Evaluation of
		CO	Efficacy of Anti-Epileptic Agents and Calcium Antagonists," <u>Life Sciences</u> 54:PL271-PL275 (1994)
			Davies et al., "Polyamine Spider Toxins Are Potent Un-competitive Antagonists of Rat
		CP	Cortex Excitatory Amino Acid Receptors," European Journal of Pharmacology - Molecular
			Pharmacology Section 227:51-56 (1992)
		CQ	Deneris et al., "Pharmacological and Functional Diversity of Neuronal Nicotinic Acetylcholine Receptors," TIPS 12:34-40 (1991)
		CR	Dickenson, "A Cure for Wind-Up: NMDA Receptor Antagonists as Potential Analgesics," TIPS 11:307-309 (1990)
		cs	Dingledine et al., "Excitatory Amino Acid Receptors in Epilepsy," TIPS 11:334-338 (1990)
	7		Donevan and Rogawski, "GYKI 52468, a 2,3-Benzodiazepine, is a Highly Selective,
DV)	∦	СТ	Noncompetitive Antagonist of AMPA/Kainate Receptor Responses," Neuron 10:51-59
YU			(1993)

EXAMINER:	ton	ryor	DATE CONSIDERED: 3/28	105
•	,			

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

A Y. DOCKET NO.	SERIAL NO.
238/105	09/186,341
APPLICANT:	

FILING DATE: November 4, 1998

GROUP: 1621

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
		Donevan et al:, "Arcaine Blocks N-Methyl-D-Aspartate Receptor Responses by an Open
	CU	Channel Mechanism: Whole-Cell and Single-Channel Recording Studies in Cultured
10001		Hippocampal Neurons," <u>Molecular Pharmacology</u> 41:727-735 (1992)
N .	cv	Draguhn et al., "Argiotoxin ₆₃₆ inhibits NMDA-activated ion channels expressed in
1		Xenopus oocytes," Neuroscience Letters 132:187-190 (1991)
	cw	Fingl and Woodbury, "Chapter 1 - General Principles," in The Pharmacological Basis of
1 1	CVV	Therapeutics 5th edition, Goodman and Gilman editors, MacMillan Publishing Co., Inc., New York, pp. 1-46 (1975)
		Fisher and Bogousslavsky, "Evolving Toward Effective Therapy for Acute Ischemic
	CX	Stroke," <u>JAMA</u> 270:360-364 (1993)
	CY	Foye et al., Principals of Medicinal Chemistry, 4th edition, Lea & Febiger/Williams and
		Wilkins, Philadelphia, PA, pp. 233, 265, 281-282, 340-341, 418-427 and 430 (1995)
	CZ	Ginsberg and Busto, "Rodent Models of Cerebral Ischemia," Stroke 20:1627-1642 (1989)
	DA	Gisvold and Steen, "Drug Therapy in Brain Ischaemia," Br. J. Anaesth. 57:96-109 (1985)
	DB	Grishin et al., "Isolation and Structure Analysis of Components from Venom of the Spider
		Argiope Lobata," <u>Toxicon</u> 27:451-549 (1989)
	DC	Gullak et al., "CNS Binding Sites of the Novel NMDA Antagonist Arg-636," Soc. Neurosci. Abst. 15:1168 at abstract no. 463.23 (1989)
		Hayes et al., "Anticonvulsant Properties of Phencyclidine-Like Drugs in Mice," <u>European</u>
{	סס	Journal of Pharmacology 117:121-125 (1985)
	DE .	Helke and Raines, "Antiextensor Effects of 3,3-Diphenyl-n-Propylamine in the Mouse,"
	- 50	European Journal of Pharmacology 48:231-235 (1978)
	DF	Herlitze et al., "Argiotoxin Detects Molecular Differences in AMPA Receptor Channels,"
	_	Neuron 10:1131-1140 (1993)
.	DG	Herold and Yaksh, "Anesthesia and Muscle Relaxation with Intrathecal Injections of AR638 and AG489, Two Acylpolyamine Spider Toxins, in Rat," Anesthesiology 77:507-
	50	512 (1992)
		Hill, "A New Mathematical Treatment of Changes of Ionic Concentration in Muscle and
	DH	Nerve Under the Action of Electric Currents, with a Theory as to Their Mode of
		Excitation," Journal of Physiology 40:190-224 (1910)
}	DI ·	Honoré et al., "Quinoxalinediones: Potent Competitive Non-NMDA Glutamate Receptor Antagonists," Science 241:701-703 (1988)
		Hughes, "Merz' Novel Approach to the Treatment of Dementia," Script No. 1666:24-25
	ום	(1991)
	DK	Jackson and Parks, "Spider Toxins: Recent Applications In Neurobiology," Ann. Rev.
		<u>Neurosci</u> , 12:405-414 (1989)
	DL	Jackson and Usherwood, "Spider Toxins as Tools for Dissecting Elements of Excitatory Amino Acid Transmission," TINS 11:278-283 (1988)
 		Janssen et al., Synthetic Analgesics: Part I - Diphenylpropylamines, Pergamon Press,
	DM	pp. 1-109 (1960)
		Jasys et al., "Isolation, Structure Elucidation, and Synthesis of Novel Hydroxylamine-
	DN	Containing Polyamines From the Venom of the Agelenopsis Aperta Spider," J. Amer.
 		Chem. Soc. 112:6696-6704 (1990) Jasys et al., "The Total Synthesis of Argiotoxins 636, 659 and 673," Tetrahedron Letters
7	DO	29:6223-6226 (1988)
		Jones and Lodge, "Comparison of Some Arthropod Toxins and Toxin Fragments as
I KIMBI I	DP	Antagonists of Excitatory Amino Acid-Induced Excitation of Rat Spinal Neurones,"
10.01		European Journal of Pharmacology 204:203-209 (1991)

EXAMINER: After	lryon	DATE CONSIDERED: 3/28/05

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary).

ATTY. DOCKET NO. 238/105	SERIAL NO. 09/186,341
APPLICANT: Alan L. Mueller et al.	
FILING DATE:	GROUP:

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
m	DQ	Jones et al., "Philanthotoxin Blocks Quisqualate-, AMPA- and Kainate-, but not NMDA-, Induced Excitation of Rat Brainstern Neurones in vivo," <u>Br. J. Pharmacol.</u> 101:968-970 (1990)	
	DR	Jones et al., "Substituted 1,1-Diphenyl-3-aminoprop-l-enes and 1,1-Diphenyl-3-aminopropanes as Potential Antidepressant Agents," <u>J. Med. Chem.</u> 14(2):161-164 (1971)	
	DS Kalman et al., "Difenil-propil-amin-szarmazekok," Magyar Kemiai Folyirat 78:46-4		
	DT	Epileptic Discharges Induced by Quisqualate." Brain Research 581:161-164 (1992)	
	DU	Rarpiak et al., "Animal Models for the Study of Drugs in Ischemic Stroke," <u>Annu. Rev.</u> Pharmocol. Toxicol. 29:403-414 (1989)	
	DV	Kawai et al., "Effect of a Spider Toxin on Glutaminergic Synapses in the Mammalian Brain," Biomedical Research 3:353-355 (1982)	
	DW	Kawai et al., "Spider Toxin and the Glutamate Receptors," Comp. Biochem. Physiol. 98C:87-95 (1991)	
	DX	Kawai, "Neuroactive Toxins of Spider Venoms," <u>J. Toxicol Toxin Reviews</u> 10:131-167 (1991)	
	DY	Keasling and Moffett, "Central Nervous System Agents. 3. Structure-Activity — Relationship of a Series of Diphenylaminopropanols," <u>Journal of Medicinal Chemistry</u> 14(11):1106-1111 (1971)	
	DZ	Kiskin et al., "A Highly Potent and Selective N-Methyl-D-Aspartate Receptor Antagonist From the Venom of the Agelenopsis Aperta Spider," Neuroscience 51:11-18 (1992)	
	EA.	Kiskin et al., "Argiopine, Argiopinines and Pseudoargiopinines as Glutamate Receptor Blockers in Hippocampal Neurons," Neurophysiology 21:748-754 (1989) (in Russian)	
	EB	Koyacs and Hesse, "Synthetic Analogues of Naturally Occurring Spider Toxins," Helvetica Chimica Acta 75:1909-1924 (1992)	
	EC	Kurokawa et al., "Synthesis and Biological Activity of 11-[4-(Cinnamyl)-1-piperazinyl]-1-piperazinyl]-8,11-dihydrodibenz[b,e]oxepin Derivatives, Potential Agents for the Treatment of Cerebrovascular Disorders," Chem. Pharm. Bull. 39(10):2564-2573 (1991)	
	ED.	Leszkovszky et al., "The Pharmacology of Diphenylalkyl Derivatives," <u>Acta Physiologica</u> <u>Academiae Scientiarum Hungaricae Tomus 29(3-4):283-298 (1966)</u>	
	EE	Marcusson et al., "Inhibition of [3H]paroxetine binding by various serotonin uptake inhibitors: structure-activity relationships." Europ. J. Pharmacol. 215:191-198 (1992)	
	EF	McQuaid et al., "Inhibition of [*H]-MK801 Binding and Protection Against NMDA-Induced Lethality in Mice by a Series of Imipramine Analogs," Research Communications in Chemical Pathology and Pharmacology 77(2):171-178 (1992)	
	EG	Meldrum and Garthwaite, "Excitatory Amino Acid Neurotoxicity and Neurodegenerative Disease," TiPS 11:379-387 (1990)	
·	EH	Meldrum, "Excitatory Amino Acid Neurotransmission in Epilepsy and Anticonvulsant Therapy," in Excitatory Amino Acids, Meldrum et al. editors, New York, Raven Press, pp. 655-670 (1991)	
	EI	Melloni et al., "Potential antidepressant agents. Aryloxy-benzyl derivatives of ethanolamine and morpholine," <u>Eur. J. Med. Chem Chim. Ther.</u> 19:235-242 (1984)	
X .	EJ	Merck Index, 11th edition, Merck & Co., Inc., Rahway, New Jersey, page 218 at no. 1433, page 337 at no. 2180, page 623 at no. 3916, page 655 at no. 4112, page 1148 at no. 7198, page 1227 at no. 7744, page 1444 at no. 9098, and page 1597 at no. 10024 (1989)	
AN	EK	Mikio et al., "Synthesis of Analgesics," <u>Chemical Abstracts</u> volume 83, no. 7, August 18, 1975 at abstract no. XP002016632	
			

EXAMINER: Ath	Proper	DATE CONSIDER	ED: 3/18/08
			

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary).

A . (. DOCKET NO.	SERIAL NO.	
238/105	09/186,341	
APPLICANT: Alan I Mueller et al		

FILING DATE: November 4; 1998

GROUP: 1621

L	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
EL Moffe			EL	Monett et al., "Central Nervous System Agents 1 Synthesis of Diphosyl ted
14(11) 108 Line 14(11) 108 Lin				. arriinopropariois, J. Med. Chem. 14(11):1088-1100/1074\
	I / T EN			Mueller et al., "Arylamine Spider Toxins Antagoniza NADA Documental de la
-	_		 	Transmission in that hippocampai Silces "Synance 0:244 250 (4004)
1			EN	Widelief et al., Effects of Polyamine Spider Toying on NMDA Basentes Madistry
		}	EN	Transmission in rat hippocampus in Vitro," Soc. Neurosci. Abst. 15:045 at abstract as
\vdash		┼-	-	1 4.4.19 (1000)
		1	EO	Nakanishi et al., "Bioorganic Studies of Transmitter Receptors with Philanthotoxin
\vdash		-		I Challes, Eule a Applied Chemistry vol. 66 #3 (March 1004)
			EP.	Nakanishi, "Molecular Diversity of Glutamate Receptors and Implications for Brain
-	\dashv			Function, Science 256:597-603 (1992)
1	- 1		EQ	Nason et al., "Synthesis of Neurotoxic Nephila Spider Venoms: NSTX-3 and JSTX-3,"
\vdash	-			1 1 Changaion Letters 30.2337-2340 (1989)
	- [ER	Nemeth et al., "Arylamines Derived From Spider Venom Are Potent and Selective NMDA
			LIX	I recoptor ratinguitists in the Mammalian CNS "in Neutrorecentors, lon Channels and the
\vdash	+	-		(<u>57577</u> , 15076) Ct di., Cultura, DD. 2 (-20 (1997)
		i	ES	Olney et al., "Pathological Changes Induced in Cerebrocortical Neurons by Phencyclidine
-	十			and Related Drugs," Science 244:1380-1362 (1989)
1	-		ET	Palmer et al., "Anticonvulsant Properties of Calcium Channel Blockers in Mice: N-Methyl-
		1		D-, L-Aspartate- and Bay K 8644-Induced Convulsions are Potentially Blocked by the Dihydropyridines," Epilepsia 34:372-380 (1993)
				Parks et al., "Arylamid Toxins From Funnel-Web Spider (Agelenopsis aperta) Venom
			EU	Antagonize N-Methyl-D-aspartate Receptor Function in Mammalian Brain," J. Biol.
		1		Chem. 266:21523-21529 (1991)
Г	Т			Parks et al., "Polyamine Spider Toxins Block NMDA Receptor- Mediated Increases in
.			EV	Cytosolic Calcium in Cerebellar Granule Neurons," Soc. Neurosci. Abst. 15:1169 at
				ausulact no. 463,25 (1989)
				Paul et al., "Adaptation of the N-Methyl-D-Aspartate Receptor Complex Following
1			EW	Circuit Ariudepressant Treatments." J. Pharmacology and Experimental Therapouties
_	4_	_		203.30-102 (1334)
	1	i	•	Peterson, "Studies on a New Spasmolytic Compound 1,1-diphenyl-3-
		ŀ	EX	dimemylaminobutene-1 (A29) related to Methadon, and on the Combined Line of this
	1			Our pour la did a Fotent Analgesic Ketobemidone." Acta Pharmacol et toyciol 7:51-64
<u> </u>	+	+		(1331)
	1		EY	Priestley et al., "Antagonism of responses to excitatory amino acids on rat cortical
<u> </u>	\dashv	+		neurones by the spider toxin, argiotoxinate." Br. J. Pharmacol. 97:1315-1323 (1980)
			EZ	Frous, The Year's Drug News, Therapeutic Targets, 1995 Edition, Prous Science
				Publishers, Barcelona, Spain, pp. 13, 55-56, 58-59, 74, 89, 144-145, 152, 296-297 and 317 (1995)
	-	\dashv		Ouisted et al. "Descriptio and Install I I I I I I I I I I I I I I I I I I
	- 1	[.	FA	Quistad et al., "Paralytic and Insecticidal Toxins from the Funnel Web Spider, Hololena Curta," Toxicon 29:329-336 (1991)
	\dashv	+		Raditsch et al. "Suburit Sporifo Block of Closed AMERA
FB Raditsch et al., "Subunit-Specific Block of Cloned NMDA Receptors by Argioto		Raditsch et al., "Subunit-Specific Block of Cloned NMDA Receptors by Argiotoxin ₆₃₆ ," FEBS Letters 324(1):63-66 (1993)		
	Ransom and Star "Connecting Medication of MUNICORY		Ransom and Stec, "Cooperative Modulation of [3H]MK-801 Binding to the N-Methyl-D-	
			FC	Aspartate Receptor-lon Channel Complex by L-Glutamate, Glycine and Polyamines,"
	1			Journal of Neurochemistry 51:830-836 (1988)
A	1	\sqcap	FD	Reist et al., "Sodium Azide in Dimethylformamide for the Preparation of Amino-Sugars,"
<u>(L</u>)	N		רט	Chemistry and Industry pp. 1794-1795 (October 13, 1962)

EXAMINER: A	0	DATE CONSIDERED:	3/2/15
0 00	11762		428100

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary).

FILING DATE:	GROUP:	
APPLICANT: Alan L. Mueller et al.		
Y. DOCKET NO. 238/105	SERIAL NO. 09/186,341	

1621

November 4, 1998

FE Reynolds and Miller. "Interprodil is a Novel Type of N-Methyl-D-Aspartate Receptor Antagonist: Interaction with Polyamines." Molecular Pharmacology 36:758-765 (1989) FG Reynolds. "Arcaine is a Competitive Antagonist of the Polyamine Site on the NMDA Receptor," European Journal of Pharmacology 177:215-216 (1990) FG Reynolds. "The Spider Toxin, Argiotoxin ₅₈ , Binds to a Mg* Site on the N-Methyl-D-Aspartate Receptor Complex." Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds. Martindals: The Extra Pharmacopogia. The Pharmacelical Press, London, pp. 543-544 (1989) Rock and MacDonald. "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of M-Methyl-D-Aspartate Receptor Single-Channel Conductance." Molecular Pharmacology 42:157-164 (1992) FJ Rogawski. "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines." Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetyl-Choline Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HI/N-(1-(thienylicyclohexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Inophore Complex." Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Anylamine NMDA Antagonists From Spider Venom." 2015f-American Chemical Society National Meeting. Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Sacto et al., "Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro." Brain Research 481:16-24 (1989) Saito et al., "Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro." Brain Research 481:16-24 (1989) Satto et al., "Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro." Brain Research 481:16-24 (1989) Satto et al., "Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro." Brain Research 481:16-24 (1989) Satto et al., "Spider Toxin (J						
Antagonist: Interaction with Polyamines." Molecular Pharmacology 36:758-765 (1989) FF Reynolds, "Arcaine is a Competitive Antagonist of the Polyamine Site on the NMDA Receptor," European Journal of Pharmacology 177:215-216 (1990) FG Reynolds, "The Spider Toxin, Argiotoxinss, Binds to a Mg" Site on the N-Methyl-D-Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds, Martindale: The Extra Pharmacopoeia, The Pharmacology 103(2):1373-1376 (1991) FOR Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insacts by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIN-f1-(timpyl)cyclohexyl) piperidine Binding to the A-Methyl-D-Aspartate Receptor Inophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Anylamine NMDA Antagonists From Spider Venom," 2015#American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1988) FO Satto et al., "Effects of a Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FO Scattond, "The Attractions of Proteins For Small Molecules and Ions," Annais New York Academy of Sciences 51:660-671 (1949) Scatton, Therapeutic Petential of NMDA receptor antagonists in Ischemic, "Drug News & Perspectives 4(2):8995 (1991) Scatton, Therapeut	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
FR Reynolds, "Arcaine is a Competitive Antagonist of the Polyamine Site on the NMDA Receptor," European Journal of Pharmacology 177:215-216 (1990) FG Reynolds, "Arcaine is a Competitive Antagonist of the Polyamine Site on the NMDA Receptor," European Journal of Pharmacology 177:215-216 (1990) FG Reynolds, "Berider Toxin, Argiotoxinas», Binds to a Mg" Site on the N-Methyl-D-Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds, Martindale: The Extra Pharmacopoeia, The Pharmacology 103(2):1373-1376 (1991) FOR Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insacts by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIN-f1-(timpyl)cyclohexyl) piperidine Binding to the Amethyl-D-Aspartate Receptor Inophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Anylamine NMDA Antagonists From Spider Venorm," 2015#American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1988) FO Saito et al., "Effects of a Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:373-399 (1985) FO Scatton et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FO Scatton et al., "Chiral Synthesis via Organoboranes, 18. Select	N / Reynolds and Miller, "Ifenprodil is a Novel Type of N-Methyl-D-Aspartate Receptor					
FG Reynolds, "The Spider Toxin, Argiotoxinsa, Binds to a Mgs" Site on the N-Methyl-D-Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds, Martindale: The Extra Pharmacopoeia, The Pharmaceutical Press, London, pp. 543-544 (1989) FROCK and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2.3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) FL Polyamines on ("HIM-(1-(thienyl)cyclohexyl) piperidine Binding to the N-Methyl-LD-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venorn," 201sf-American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Satio et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FO Satio et al., "Effects of a Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons." Brain Research 48:397-399 (1985) FO Sation et al., "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 1:660-672 (1949) FR Scatton et al., "MDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Septonical Services Ltd., 1990 FO Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst, 15:1168 at abstract no. 4	Th.		Antagonist: Interaction with Polyamines," Molecular Pharmacology 36:758-765 (1989)			
FG Reynolds, "The Spider Toxin, Argiotoxinas, Binds to a Mg* Site on the N-Methyl-D-Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds, Martindale: The Extra Pharmacopoeia, The Pharmaceutical Press, London, pp. 543-544 (1989) Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2.3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIM-(1-thienyl)cyclohexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Yenorn," 2015-American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) Fo Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FO Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:860-872 (1949) FR Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, BC Technical Services Ltd., 1990 FF Seymour and Mena, "In Vivo NMDA Antagonist Activi	1 .}	FF	Reynolds, "Arcaine is a Competitive Antagonist of the Polyamine Site on the NMDA			
Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1991) FH Reynolds, Martindale: The Extra Pharmacopoeia, The Pharmaceutical Press, London, pp. 543-544 (1989) Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIM-(1-thienyl-lyclothexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Anylamine NMDA Antagonists From Spider Venom." 201s#American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985). FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:680-672 (1949) FR Scatton et al., "MIDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) FS Sepmour and Mena, "In Vvo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc., Neurosci, Abst. 15:1168 at abstract no. 463:24 (1989) Snell and Johnson, "Ch. 13 - Phency	Receptor," European Journal of Pharmacology 177:215-216 (1990)					
Reynolds, Marindale: The Extra Pharmacopoeia, The Pharmaceutical Press, London, pp. 543-544 (1989) Reynolds, Marindale: The Extra Pharmacopoeia, The Pharmaceutical Press, London, pp. 543-544 (1989) Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) F.J. Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci., 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philamthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on (*HM-VI-1) (Henrylcyclohexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Anylamine NMDA Antagonists From Spider Venorm." 201st-American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985). FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FS Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FS Scatton et al., "MDDA Receptor Antagonists Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) FS Scatton, Therapeutic Potential of NMDA receptor antagonist		Reynolds, "The Spider Toxin, Argiotoxin ₆₃₆ , Binds to a Mg ^{2*} Site on the N-Methyl-D-				
Pp. 543-544 (1989) FI Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent Reduction of M-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on (³ H]M-(1-(thienyllcyclohexyl) piperidine Binding to the M-Methyl ₂ D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s{American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Satto et al., "Effects of a Spider Toxin (USTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:18-24 (1989) Satto et al., "Spider Toxin (USTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 486:397-399 (1985) FQ Scatton, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton et al., "NMDA Receptor Antagonists Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc., Neurosci, Abst. 15:168 at abstract no. 463:24 (1989) FU Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc., Neurosci, Abst. 15:168 at abstract no. 463:24 (1989) FV Snyder, "Neurotransmitter R	Aspartate Receptor Complex," Br. Journal of Pharmacology 103(2):1373-1376 (1					
FI Reduction of N-Methyl-D-Aspartate Receptor Single-Channel Conductance," Molecular Pharmacology 42:157-164 (1992) FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholline Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIN-(1-{thienyl}cyclohexyl) piperidine Binding to the N-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201stAmerican Chemical Society National Meeting, Abstracts of Papers - Part 1, Attanta Goorgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) Saito et al., "Effects of a Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FO Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-638," Soc., Neurosci, Abst., 15:1168 at abstract no., 463.24 (1989) FN Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem., 28:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes., 18. Selective Reductions, 43. Diisopinocampheylchlorobo		FH	pp. 543-544 (1989)			
FJ Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel Blockers and 2.3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Aliosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on (³H]N-(1-(thienyl)cyclohexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:75-777 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venorm," 2015#American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FP Saito et al., "Spider Toxin (USTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FO Sactchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Carebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Srebnik et	1.7		Rock and MacDonald, "Spermine and Related Polyamines Produce a Voltage-Dependent			
Blockers and 2.3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIM-(1-(thienyl)cyclohexyl) piperidine Binding to the M-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s{American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FO Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke. IBC Technical Services Ltd., 1990 Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as a		+1	Pharmacology 42:157-164 (1992)			
Blockers and 2.3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993) Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on ("HIM-(1-(thienyl)cyclohexyl) piperidine Binding to the M-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s{American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FO Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke. IBC Technical Services Ltd., 1990 Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as a		FI	Rogawski, "Therapeutic Potential of Excitatory Amino Acid Antagonists: Channel			
Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on [*HIM-(1-{thienyl cyclohexyl) piperidine Binding to the N-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom." 201s&American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:18-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FO Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "MIMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Sryder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinoca		,,,	Blockers and 2,3-benzodiazepines," Trends in Pharmacol. Sci. 14:325-331 (1993)			
FK and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics 249:123-130 (1989) Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on [³H]N-(1-{thienyl}cyclohexyl) piperidine Binding to the N-Methyl-D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s:American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:18-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985). FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both	1 1		Rozental et al., "Allosteric Inhibition of Nicotinic Acetylcholine Receptors of Vertebrates			
Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of Polyamines on [³H]N-(1-(thienyl)[cyclohexyl) piperidine Binding to the N-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s[American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FQ Scattchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 28:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Discopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FK	and Insects by Philanthotoxin," Journal of Pharmacology and Experimental Therapeutics			
FL Polyamines on ("HIM-(1-[thienyl]cyclohexyl) piperidine Binding to the N-Methyl_D-Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Baccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 2015 American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-630," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.						
Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990) Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201st American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reduction Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	\		Sacaan and Johnson, "Characterization of the Stimulatory and Inhibitory Effects of			
Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201s≰American Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	1 1	· FL	Polyamines on [*H]N-(1-[thienyl]cyclohexyl) piperidine Binding to the N-Methyl-D-			
FM Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April 14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	Aspartate Receptor Ionophore Complex," Molecular Pharmacology 37:572-577 (1990					
14-19 (1991) (Abstract #10) FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		E14	Saccomano et al., "Arylamine NMDA Antagonists From Spider Venom," 201st American			
FN Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools," in Annual Reports in Medicinal Chemistry 24:287-293 (1989) FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "MIDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FM	Chemical Society National Meeting, Abstracts of Papers - Part 1, Atlanta, Georgia, April			
FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			14-19 (1991) (ADSTRACT #10)			
FO Saito et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vitro," Brain Research 481:16-24 (1989) Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FN	Saccomano et al., "Ch. 30 - Polyamine Spider Toxins: Unique Pharmacological Tools,"			
Brain Research 481:16-24 (1989) FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 346:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and Ions," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	In Annual Reports in Medicinal Chemistry 24:287-293 (1989)		Soite et al. "Effects of a Soids Torio (1872) and I'll and a 1889)			
FP Saito et al., "Spider Toxin (JSTX) Blocks Glutamate Synapse in Hippocampal Pyramidal Neurons," Brain Research 348:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and lons," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	FO Sano et al., "Effects of a Spider Toxin (JSTX) on Hippocampal CA1 Neurons in vi		Saito et al., Effects of a Spider Foxin (JSTX) on Hippocampai CA1 Neurons in vitro,"			
Neurons," Brain Research 346:397-399 (1985) FQ Scatchard, "The Attractions of Proteins For Small Molecules and lons," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc., Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			Saita et al. "Saider Tevin / ISTV) Blacks Clutemate Suppose in Uispassered Duranted			
FQ Scatchard, "The Attractions of Proteins For Small Molecules and lons," Annals New York Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FP	Neurone " Brain Pecearch 348-307, 300 (1086)			
Academy of Sciences 51:660-672 (1949) FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc., Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			Scatchard "The Attractions of Proteins For Small Molecules and lone " Annals New York			
FR Scatton et al., "NMDA Receptor Antagonists: Treatment for Brain Ischemia," Drug News-8 & Perspectives 4(2):89-95 (1991) Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci. Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease , D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FQ	Academy of Sciences 51:660-672 (1949)			
Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			Scatton et al. "NMDA Recentor Antagonists: Treatment for Brain Ischemia " Drug News			
Scatton, Therapeutic Potential of NMDA receptor antagonists in Ischemic Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) FV Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FR	& Perspectives 4(2):89-95 (1991)			
FS Cerebrovascular Disease in Drug Strategies in the Prevention and Treatment of Stroke, IBC Technical Services Ltd., 1990 FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst., 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		-				
IBC Technical Services Ltd., 1990		FS				
FT Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989) Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.						
Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	Course and Mana "In Vivo NIMOA Antonogical Anti-the Gallery College"		Seymour and Mena, "In Vivo NMDA Antagonist Activity of the Polyamine Spider Venom			
Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, John Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		: []	Component, Argiotoxin-636," Soc. Neurosci, Abst. 15:1168 at abstract no. 463.24 (1989)			
Wiley & Sons, pp. 261-273 (1988) Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.	Snell and Johnson, "Ch. 13 - Phencyclidine: Behavioral Correlates of NMDA FU Antagonism," in Excitatory Amino Acids in Health and Disease, D. Lodge editor, Joh					
Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," J. Med. Chem. 26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.						
26:1667-1672 (1983) Srebnik et al., "Chiral Synthesis via Organoboranes. 18. Selective Reductions. 43. Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			Wiley & Sons, pp. 261-273 (1988)			
Diisopinocampheylchloroborane as an Excellent Chiral Reducing Reagent for the Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.		FV	Snyder, "Neurotransmitter Receptor Binding and Drug Discovery," <u>J. Med. Chem.</u> 26:1667-1672 (1983)			
Synthesis of Halo Alcohols of High Enantiomeric Purity. A Highly Enantioselective Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.						
Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.						
Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org. Chem. 53(13):2916-2920 (1988)	الاسطا	∵FW				
<u>Chem.</u> 53(13):2916-2920 (1988)	1mg		Synthesis of Both Optical Isomers of Tomoxetine, Fluoxetine and Nisoxetine," J. Org.			
		į	<u>Chem.</u> 53(13):2916-2920 (1988)			

EXAMINER: Ato-Pr	70-	DATE CONSIDERED: 3/	8/05

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

A1.Y. DOCKET NO. 238/105

SERIAL NO. 09/186,341

APPLICANT:

Alan L. Mueller et al.

FILING DATE: November 4, 1998 GROUP: 1621

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
neurones by spermine, argiotoxin-636 and a synthetic arginine polyamine," Neuropharmacology 3:37-43 (1993)		Sutton et al., "Inhibition of voltage-activated Ca ^{2*} currents from cultured sensory neurones by spermine, argiotoxin-636 and a synthetic arginine polyamine," <u>Molecular Neuropharmacology</u> 3:37-43 (1993)
	FY	Tang et al., "Phencyclidine-Like Behavioral Effects of 2-Methyl-3,3-Diphenyl-3- Propanolamine (2-MDP), Pharmacology Biochemistry & Behavior 20:209-213 (1984)
	FZ	Teyler and Discenna, "Long-Term Potentiation." Annu Rev Neurosci, 10:131-161 (1987)
	GA	Pharmacology, Volume 1, Marcel Dekker, Inc., New York, pp. 1-173 (1983)
	GB	Tsvetkova et al., "Synthesis of aminoalkylxanthenes and aminothioxanthenes," Khim. Farm. Zh. 3(12):17-20 (1969)
	GC	Usherwood and Blagbrough, "Spider Toxins Affecting Glutamate Receptors: Polyamines in Therapeutic Neurochemistry," Pharmac. Ther. pp. 1-24 (1992)
	GD	von Wolfgang J. Fiedler et al., "66. Synthetische Analoga von niedermolekularen Spinnentoxinen mit Acyl-polyamin-Struktur," <u>Helvetica Chimica Acta</u> 76:1167-1181 (1993)
Derivaten," <u>Helvetica Chimica Acta</u> 76:1511-1519 (1993)		von Wolfgang J. Fiedler et al., "98. Synthese von selektiv N-funktionalisierten Polyamin- Derivaten," <u>Helvetica Chimica Acta</u> 76:1511-1519 (1993)
<u> </u>	GF	Watkins et al., The NMDA Receptor, Oxford, IRL Press (1989)
Activity Relationship of Aralkylamines," Chem. Pha		White et al., "Chemicopharmacological Studies on Antispasmodic Action. XII., Structure-Activity Relationship of Aralkylamines," Chem. Pharm. 6(2):147-154 (1958)
Allylamines and -Propylamines," Brit. J. Pharmacol, 6:560-571 (1951)		White et al., "Some Pharmacological Properties of 3:3-Diphenyl-Propanolamines, - Allylamines and -Propylamines," <u>Brit. J. Pharmacol.</u> 6:560-571 (1951)
	GI	Wiley and Balster, "Preclinical Evaluation of N-Methyl-D-Aspartate Antagonists for Antianxiety Effects: A Review," in Multiple Sigma and PCP Receptor Ligands: Mechanisms for Neuromodulation and Neuroprotection? NPP Books, Ann Arbor, Michigan, pp. 801-815 (1992)
	GJ	Willetts et al., "The Behavioral Pharmacology of NMDA Receptor Antagonists," <u>Trends</u> Pharmacol. Sci. 11:423-428 (1990)
	GK	Williams et al., "Characterization of Polyamines Having Agonist, Antagonist, and Inverse Agonist Effects at the Polyamine Recognition Site of the NMDA Receptor," Neuron 5:199-208 (1990)
	GL	Williams et al., "Effects of Polyamines on the Binding of [3H]MK-801 to the N-Methyl-D-Aspartate Receptor: Pharmacological Evidence for the Existence of a Polyamine Recognition Site," Molecular Pharmacology 36:575-581 (1989)
	GM	Williams, "Effects of Agelenopsis aperta Toxins on the N-Methyl-D-Aspartate Receptor: Polyamine-Like and High-Affinity Antagonist Actions," <u>Journal of Pharmacology and Experimental Therapeutics</u> 266:231-236 (1993)
	GN	Williams, "Ifenprodil Discriminates Subtypes of the N-Methyl-D-Aspartate Receptor: Selectivity and Mechanisms at Recombinant Heteromeric Receptors," Molecular Pharmacology 44:851-859 (1993)
pw	GO	Yamaguchi et al., "Anticonvulsant Activity of AMPA/Kainate Antagonists: Comparison of GYKI 52466 and NBQX in Maximal Electroshock and Chemoconvulsant Seizure Models," Epilepsy Research 15:179-184 (1993)

EXAMINER:	Alm	lrvor	DATE CONSIDERED: 3/28/00